

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**Paper No.:** \_\_\_\_\_

**DATE** : 3/27/09

**TO SPE OF** : ART UNIT 2627

**SUBJECT** : Request for Certificate of Correction for Appl. No.: 10679708 Patent No.: 7292229 B2

Please respond to this request for a certificate of correction within 7 days.

**FOR IFW FILES:**

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

**FOR PAPER FILES:**

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

You can fax the Directors SPE response to 571-270-9990

LAMONTE NEWSOME

Certificates of Correction Branch

703-308-9390 ext. 112

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes **do not** apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:** To clarify: the the amendment to claim 13, column 23, at line 5 "the signal"  
should be "a signal"; Also claim 50, column 30 at line 10 "the signal" should be "a signal";  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Formatted: Indent: Left: 1.22"

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

---

---

---

**SPE**

**Art Unit**